




CONSOLIDATED BEARING trading LTD

624 NSK Deep groove ball bearings

Bearing No. 624



624 Bearing 2D drawings and 3D CAD models

Size	4x13x5 mm
Bore Diameter	4 mm
Outer Diameter	13 mm
Width	5 mm
d	4 mm
D	13 mm
B	5 mm
C	5 mm
r min.	0,2 mm
da min.	5,6 mm
Da max.	11,4 mm
ra max.	0,2 mm
Weight	0,00303 Kg
Basic dynamic load rating (C)	1,3 kN
Basic static load rating (C0)	0,485 kN
(Grease) Lubrication Speed	40 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No



CONSOLIDATED BEARING trading LTD

Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	4MM Bore; 13MM Outside Diameter; 5MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Weight / LBS	0.00669
Outer Race Width	0.197 Inch 5 Millimeter
Bore	0.157 Inch 4 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	0.512 Inch 13 Millimeter
SRI	1.33
hidYobi	624
LangID	1
D_	13
SREX	0.02
B_	5
hidTable	ecat_NSESBM
C0r	49



CONSOLIDATED BEARING trading LTD

Oil rpm	48000
SRE	1.33
mass	3.03
GRS rpm	40000
ra	0.2
SRIX	0.02
D_a	11.4
Cr	133
SRIN	0
C0	0.485
fo	12.222
SREN	0
DE_	11.081
Prod_Type3	ESM_MD_OT
da	5.6
DA_	2.381
Z_	7
yobi	624
SDM_	8.7
r	0.2
KBRG	6101
DI_	6.319
B0	5